

SAFTEY DATA SHEET

Product Name SUPREME MM

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Supplier Name MAGIC TANK SYSTEMS

Address PO BOX 761 TORONTO NSW 2283

Telephone 0421 669 915 **Emergency** 0421 669 915

Email info@magictank.com.au

Synonym(s) MAGIC TANK SUPREME MM

Use(s) ALKALINE DETERGENT • CARBON REMOVER

MSDS Date 3 September 2027

2. HAZARDS IDENTIFICATION

CLASSIFIED AS HAZARDOUS ACCORDING TO ASCC CRITERIA

RISK PHRASES

R36 Irritating to eyes.

SAFETY PHRASES

S2 Keep out of reach of children.

S22 Do not breathe dust.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

UN No.None AllocatedDG ClassNone AllocatedSubsidiary Risk(s)None AllocatedPacking GroupNone AllocatedHazchem CodeNone AllocatedEPGNone Allocated

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	Formula	CAS No.	Content	
SODIUM CARBONATE	Na2-C-O3	497-19-8	>60%	
SODIUM TRIPOLYPHOSPHATE	H5-O10-P3-5Na	7758-29-4	Not Available	
WATER	H2O	7732-18-5	Not Available	

Product Name SUPREME MM

4. FIRST AID MEASURES

Eye If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to

stop by the Poisons Information Centre or a doctor, or for at least 15 minutes.

Inhalation If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.

Skin If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Continue

flushing with water until advised to stop by the Poisons Information Centre or a doctor.

For advice, contact a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). If

Ingestion swallowed, do not induce vomiting.

Advice to Doctor Treat symptomatically

First Aid Facilities Eye wash facilities should be available.

5. FIRE FIGHTING MEASURES

Flammability Non flammable. May evolve toxic gases (sodium oxides) when heated to decomposition.

Fire and Treat as per requirements for Surrounding Fires: Evacuate area and contact emergency services. Remain upwind

and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.

Extinguishing Prevent contamination of drains or waterways.

Hazchem Code None Allocated

6. ACCIDENTAL RELEASE MEASURES

Spillage Contact emergency services where appropriate. Use personal protective equipment. Clear area of all unprotected

personnel. Prevent spill entering drains or waterways. Contain spillage, then collect and place in suitable

containers for reuse or disposal. Avoid generating dust.

7. STORAGE AND HANDLING

Storage Store in cool, dry, well ventilated area, removed from oxidising agents, acids and foodstuffs. Ensure containers are

adequately labelled, protected from physical damage and sealed when not in use. Also store removed from

chlorinated products.

Handling Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin

contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating,

drinking and smoking in contaminated areas.

8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

Exposure Stds

Explosion

Ingredient	Reference	TWA		STEL	
		ppm	mg/m3	ppm	mg/m3
SODIUM CARBONATE (total dust)	ASCC (AUS)	-	10	-	

Biological Limits No biological limit allocated.

Engineering Controls

Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical extraction ventilation is

recommended.

PPE Wear dust-proof goggles and rubber or PVC gloves. When using large quantities or where heavy contamination is

likely, wear: coveralls. Where an inhalation risk exists, wear: a Class P1 (Particulate) respirator.

Product Name SUPREME MM

9. PHYSICAL AND CHEMICAL PROPERTIES

WHITE POWDER Solubility (Water) **SOLUBLE Appearance** Odour **ODOURLESS Specific Gravity NOT AVAILABLE** рΗ 10.7 % Volatiles **NOT AVAILABLE** Flammability NON FLAMMABLE Vapour Pressure 29.9 mbar @ 20°C **Vapour Density NOT AVAILABLE** Flash Point NOT RELEVANT **Boiling Point NOT AVAILABLE Upper Explosion Limit** NOT RELEVANT **Melting Point NOT AVAILABLE Lower Explosion Limit NOT RELEVANT**

Evaporation Rate NOT AVAILABLE

10. STABILITY AND REACTIVITY

Chemical Stability Stable under recommended conditions of storage.

Conditions to Avoid Avoid heat, sparks, open flames and other ignition sources.

Material to Avoid Incompatible with oxidising agents (eg. hypochlorites) and acids (eg. nitric acid). Also incompatible with

chlorinated products.

Hazardous May evolve toxic gases (sodium oxides) when heated to decomposition.

Decomposition Products

Hazardous Reactions Polymerization is not expected to occur.

11. TOXICOLOGICAL INFORMATION

Health Hazard Summary Slightly corrosive - irritant. This product has the potential to cause adverse health effects with over exposure. Use

safe work practices to avoid eye or skin contact and dust generation - inhalation.

Eye Slightly corrosive - irritant. Contact may result in irritation, lacrimation, pain, redness, conjunctivitis and possible

burns.

Inhalation Slightly corrosive - irritant. Over exposure may result in irritation of the nose and throat, with coughing.

Skin Slightly corrosive. Contact may result in irritation, redness, itching, pain, rash, dermatitis and possible burns.

Ingestion Slightly corrosive. Ingestion may result in burns to the mouth and throat, nausea, vomiting and abdominal pain.

Ingestion is considered unlikely due to product form.

Toxicity Data SODIUM CARBONATE (497-19-8)

LC50 (Inhalation): 800 mg/m3/2 hours (guinea pig)

LD50 (Ingestion): 4090 mg/kg (rat)

LD50 (Intraperitoneal): 117 mg/kg (mouse) LD50 (Subcutaneous): 2210 mg/kg (mouse) SODIUM TRIPOLYPHOSPHATE (7758-29-4) LD50 (Ingestion): 3100 mg/kg (mouse) LD50 (Intraperitoneal): 525 mg/kg (rat) LD50 (Intravenous): 71 mg/kg (mouse)

LD50 (Subcutaneous): 750mg/kg (guinea pig)

12. ECOLOGICAL INFORMATION

Environment

WATER: If released to waterways, alkaline products may change the pH of the waterway. Fish will die if the pH reaches 10-11 (goldfish 10.9, bluegill 10.5). SOIL: May leach to groundwater with toxic effects on aquatic life as above. ATMOSPHERE: Not expected to reside in the atmosphere. Drops or particles released to atmosphere should be removed by gravity and/or be rained out.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Neutralise with dilute acid (eg. 3 mol/L hydrochloric acid) or similar. For small amounts absorb with sand or similar

and dispose of to an approved landfill site. Contact the manufacturer for additional information.

Legislation Dispose of in accordance with relevant local legislation.

Product Name SUPREME MM

14. TRANSPORT INFORMATION

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

Shipping Name None Allocated

UN No.None AllocatedDG ClassNone AllocatedSubsidiary Risk(s)None AllocatedPacking GroupNone AllocatedHazchem CodeNone AllocatedEPGNone Allocated

15. REGULATORY INFORMATION

Poison Schedule A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform

Scheduling of Drugs and Poisons (SUSDP).

All chemicals listed on the Australian Inventory of Chemical Substances (AICS).

16. OTHER INFORMATION

Additional Information

RESPIRATORS: In general the use of respirators should be limited and engineering controls employed to avoid exposure.

If respiratory equipment must be worn ensure correct respirator selection and training is undertaken.

Remember that some respirators may be extremely uncomfortable when used for long periods.

The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary

ABBREVIATIONS:

ADB - Air-Dry Basis.

BEI - Biological Exposure Indice(s)

CAS# - Chemical Abstract Service number - used to uniquely identify chemical compounds. CNS -

Central Nervous System.

EINECS - European Inventory of Existing Commercial chemical Substances. IARC -

International Agency for Research on Cancer.

M - moles per litre, a unit of concentration. mg/m3 -

Milligrams per cubic metre.

NOS - Not Otherwise Specified. NTP - National

Toxicology Program.

OSHA - Occupational Safety and Health Administration.

pH - relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline). ppm -

Parts Per Million.

RTECS - Registry of Toxic Effects of Chemical Substances. TWA/ES

- Time Weighted Average or Exposure Standard.

HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

FND OF REPORT